# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/012122

International filing date: 11 April 2005 (11.04.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/561,390


Filing date: 12 April 2004 (12.04.2004)

Date of receipt at the International Bureau: 16 September 2005 (16.09.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





#### 4(4) AND IND VARONETHIESE; PRESENTS; SHAME (CONEC:

#### UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

September 08, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

**APPLICATION NUMBER: 60/561,390** 

FILING DATE: April 12, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/12122

Certified by

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office

Please type a plus sign (+) inside this box	+
r lease type a plus sign ( ) inside this box	

PTO/SB/16 (5-03) Approved for use through 04/30/2003. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c)

1 ms is a request i	or ming at NovisionA	E AI I EIOA	TOTAL OR FAILE	T. GIIGC	. 0. 0. 1. 1.00(0).	ဖင်
	18	NVENTOR(S	s)			U 61
Given Name (first and middle [if a STEVEN D. SCOTT J.		Family Name or Surname		Residence (City and either State or Foreign Country)  12754 DEON PLACE, GRANADA HILLS, CA 91344- 12 RISERO DRIVE, MISSION VIEJO, CA 92692		264 0/5
Additional inventors are bei	ing named on thesepa		<del></del>	ereto		_
MULTI-SITE REMOTELY PRESS	TITLE OF THE INV URIZED INJECTION SYSTE		) characters max)			
Direct all correspondence to:  Customer Number  OR	CORRESP 26822 Type Customer Number here	ONDENCE AI	DDRESS		ice Customer Number r C 26 8 2 Pere	
Firm <i>or</i> Individual Name	WALTER A. HACKLER, P.	h.D.			- Managhan	
Address	2372 S.E. BRISTOL STRE	ET, SUITE B				
Address	NEWBORT DE 1 111	1.5 ;	AL IFOR	ı	100000 0===	
City	NEWPORT BEACH	Otate	CALIFORNIA	ZIP	92660-0755	
Country	US	·	949) 851-5010	Fax	(949) 752-1925	
Specification Number of I  Drawing(s) Number of Sh  Application Data Sheet. See	neets 2	ION PARTS (	CD(s), Number  Other (specify)		SIGNMENT; COVER SHEE	r
The Director is hereby au fees or credit any overpay	is enclosed to cover the filing	fees	PLICATION FOR PAT	ΓΕΝΤ <i>(ch</i>	FILING FEE AMOUNT (\$) \$160.00	
The invention was made by an ag United States Government.  No.  Yes, the name of the U.S. Gove	ency of the United States Government agency and the Governm			agency (	of the	
TYPED or PRINTED NAME WAI	LTER A. HACKLER 49) 851-5010		Date  REGIST  (if approp	oriate)		

### USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

#### MULTI-SITE REMOTELY PRESSURIZED INJECTION SYSTEM

The present invention is generally directed to the administration of a medicament and is more particularly directed to a multi-site injection system for dermal delivery of a medicament.

#### SUMMARY OF THE INVENTION

A multi-site injection system in accordance with the present invention generally includes a shell including a top and a bottom and a plurality of needles protruding from the shell bottom. Each of the needles include a lumen extending through the shell bottom.

15

A membrane is provided and disposed between the shell top and the shell bottom and an inlet is provided for introducing a fluid between the shell top and the shell bottom.

A diverter is also provided for selectively directing fluid between the membrane and the shell bottom and between the membrane and the shell top.

The diverter may include a manually operated valve and the system may further include a supply of medicament, preferably botulinum toxin, for introduction between the membrane and the shell bottom.

15

25

An inert fluid supply may also be provided for introduction between the membrane and the shell top.

Also in accordance with the present invention, a method of multi-site injection comprises providing a shell between the top and a bottom with bottom having a plurality of needles protruding therefrom with each needle including a lumen therethrough and extending through the shell bottom.

The method also includes providing a membrane between the shell top and the shell bottom.

particularly, More in accordance with the present method includes the invention, introducing a medicament between the membrane and the shell bottom and introducing a pressurized fluid between the membrane and the shell top for forcing the medicament through the needle lumens. In this method, the medicament preferably comprises botulinum toxin.

#### 20 BRIEF DESCRIPTION OF THE DRAWINGS

The advantages and features of the present invention will be better understood by the following description when considered in conjunction with the accompanying drawings in which:

Figure 1 is a perspective view of a multi-site injection system in accordance with the present invention generally illustrating a shell having a top and a bottom with a

15

plurality of needles protruding from the shell bottom. An inlet for introducing fluid between the shell top and bottom is shown along with a diverter;

Figure 2 is a cross sectional view of the system shown in Figure 1 more clearly illustrating the shell top, bottom and a membrane disposed between the shell top and the shell bottom along with a diverter valve for selectively directing fluid between the membrane and the shell bottom and between the membrane and the shell top, Figure 2 showing a filling cycle with medication being injected into a reservoir; and

Figure 3 is a cross sectional view similar to Figure 2 showing the diverter selectively directing fluid between the membrane and top shell during an injection cycle in order to pressurize the reservoir of medicament thereby forcing the medicament through needle lumens; and

Figure 4 is an enlarged view of the needles illustrating 20 a lumen therethrough for injection of the medicament into the stratum corneum of a users skin (not shown).

#### DETAILED DESCRIPTION

With reference to Figures 1-3, there is shown a multisite injection system 10 in accordance with the present invention generally including a shell 12 having a top 16 and a bottom 18. A plurality of needles 22 protrude from the shell bottom 18 with each needle 22 including a lumen 24 (see Figure 4) communicating with a reservoir 26 established by a membrane 28 disposed between the shell top 16 and the shell bottom 18.

It should be appreciated that the shell, membrane and needles may be made from any suitable material. Preferably, the needles have a gauge of about 28 and a length in the order of 2mm. An inlet 30 including a tube 32 and passageway 34 provide a means for introducing a fluid between the shell top 16 and shell bottom 18.

10

A diverter 38 includes a manually operated valve 40 for selectively directing fluid between the membrane 28 and shell bottom 18 into the reservoir 26.

As shown by the arrow 44 during a filling cycle the inlet, or supply line, introduces a medicament, preferably botulinum toxin, into the reservoir by alignment with a dip tube 48 with the passageway 34 for filling of the reservoir 26.

20

25

Thereafter, the diverter 38 by way of the valve 40 aligns the passageway 34 for introducing a fluid, such as saline solution, between the membrane 28 and the top shell as illustrated by the arrows 52, 54. This provides a pressure above the membrane 28 which forces the medicament from the reservoir 26 through the needle lumens 24 as illustrated by the arrows 58.

Although there has been hereinabove described a specific multi-site remotely pressurized injection system in accordance with the present invention for the purpose of illustrating the manner in which the invention may be used to advantage, it should be appreciated that the invention is not limited the present thereto. That is, invention may suitably comprise, consist of, or consist essentially of the recited Further, the invention illustratively disclosed herein suitably may be practiced in the absence of any element which is not specifically disclosed herein. Accordingly, any and all modifications, variations or equivalent arrangements which may occur to those skilled in the art, should be considered to be within the scope of the present invention as defined in the appended claims.

10

#### WHAT IS CLAIMED IS:

- 1. A multi-site injection system comprising:
  - a shell including a top and a bottom;
- a plurality of needles protruding from the shell bottom, each needle including a lumen extending through the shell bottom;
  - a membrane disposed between the shell top and shell bottom;
- an inlet for introducing a fluid between the shell top and the shell bottom; and
  - a diverter for selectively directing fluid between the membrane and the shell bottom and between the membrane and the shell top.

15

- 2. The system according to claim 1 wherein said diverter includes a manually operated valve.
- The system according to claim 2 further comprising a
   supply of medicament for introduction between the membrane and the shell bottom.
- The system according to claim 3 further comprises a supply of inert fluid for introduction between the membrane
   and the shell top.
  - 5. The system according to claim 4 wherein said medicament comprises botulinum toxin and said inert fluid comprises a saline solution.

6. A method of multi-site injection comprises:

providing a shell including a top and a bottom, said bottom having a plurality of needles protruding therefrom with each needle including a lumen therethrough and extending through the shell bottom;


providing a membrane between the shell top and the shell bottom;

introducing a medicament between the membrane and 10 the shell bottom; and

introducing a pressurized fluid between the membrane and the shell top for forcing the medicament through the needle lumen.

7. The method according to claim 6 wherein said medicament comprises botulinum toxin.

BEST AVAILABLE COPY



BEST AVAILABLE COPY